



According to a survey done by professional service associates, 56% of microwave ovens used for more then 2 years can possibly leak levels of radiation 10% higher than the safety standard of 5mW/cm2 regulated by the FDA and EPA. It will be vulnerable and uncomfortable for people if the microwave radiation exposure level exceeds 5mW/cm2.

Microwave radiation is odorless and invisible. Its leakage can be caused by slamming the oven door, leaving food particles in the hinges or seals, and moving the oven around etc. How to keep people from this danger and find out the emergency immediately, we suggest to use our new model of LCD digital readout microwave leakage meter for the household security.

The meter is a high quality conscious consumer product with the most newly developed technology that utilizes advanced sensor for detecting the microwave leaking from the microwave oven. The highly sensitive sensor can detect the microwave accurately, even at a low volume the injury of the radiation of microwave.



DT-2G

MICROWAVE LEAKAGE METER

- | LCD Digital readout.
- Leakage volume in dangerous zone will sound "beeping" and a red lamp flashing
- Low leakage volume display for warning
- Human factor engineering design is suitable for the operation of both hands
- Battery operates for more than 1 years
- | High sensitivity to the microwave

DT-2G Microwave Leakage Meter

General Specification

Calibration	Calibrated at 2450MHz
Range	0- 9.99 mW/.cm2
Warning value	5.0 mW/cm2
Power source	9V battery
Battery life	1 year minimum for routine chcking once a month
Weight	About 151g

Accessories

Instruction Manual, Battery, Carrying Case, Test Certificate.



CEM INSTRUMENTS (INDIA) PVT. LTD.

32A, Ganesh Chandra Avenue, 4th Floor, Kolkata-700013 Tel: 033-22151376, 22159759

Email: info@cem-instrumets.in / info@cem-india.com Web: www.cem-instruments.in / www.cem-india.com

CEM INSTRUMENTS HEADQUATER & FACTORY

19th Building, 5th Region, Baiwangxin Industry Park, Songbai Road, Baimang, Xili, Nanshan, Shenzhen, China, 518108

Tel: +86-755-27353188, Fax: +86-755-27653699